

THE SCIENCE OF WARMTH

Since 1890, we've been pioneering and perfecting radiant heat technology that generates constant, comfortable warmth within your home.

RADIANT HEAT

What makes Valor unique? We put radiant heat technology into every fire. You can feel it.

AUTOFIRE™

Pioneered by Valor, AutoFire automatically adjusts the fire for optimum efficiency and enjoyment.

EFFICIENCY

Radiant zone heating is up to 25% more efficient than central forced air systems.

REMOTE CONTROL

Adjustable flame for constant, even warmth without having to cycle the fire on and off—or leave the sofa.

SAFETY

Our fires are put through rigorous safety testing in our in-house CSA approved lab.

REALISTIC LOGS

High definition, low mass fiber ceramic logs heat up and glow quickly, radiating warmth.

COVER:
BIRCH 700BLK
LEDGESTONE 705LSLV3
EDGEMONT CRAFTSMAN PEWTER 716ECPW
EDGEMONT 3-SIDED FLAT BACKING PLATE 717BPBF

CONVECTIVE HEAT

Secondary Heat Exchanger naturally improves convective heat—without a fan.

V-CLASS BURNER

Our precision stainless steel V-Class burner creates an enhanced flame and ember glow.

NO POWER. NO PROBLEM.

Valor fireplaces heat without electricity—even in a power failure.

CERAMIC GLASS

Durable and robust ceramic glass improves radiant performance.

SUPERIOR ALUMINIZED STEEL

Aerodynamic aluminized steel firebox handles high temperatures, delivering efficient radiant warmth.



1 LOGS

We design all our expertly crafted logs as realistic-looking as possible, and engineer them to harness radiant heat from the flames and glowing embers.







BIRCH TRADITIONAL LOGS DRIFTWOOD





PEBBLE BEACH DRIFTWOOD



MURANO GLASS

To see in person, visit your local Valor dealer. Or scan the code for photos and videos of the fuel beds:





2 LINERS

Choose a firebox liner to complement the logs and front style you select as well as the surround of your current fireplace.

Please note the tint of the ceramic glass window can warm the liner colors, especially when the fire is on. If possible, visit your local Valor dealer to see a sample in person.

FLUTED BLACK





REFLECTIVE GLASS



LEDGESTONE



BRICK





EDGEMONT FRONTS: Edgemont fronts are about **2" wide, and slightly offset** from the required backing plate.



CRAFTSMAN PEWTER



CRAFTSMAN BRONZE



CRAFTSMAN BRASS



VINTAGE IRON



BRONZE



BRUSHED NICKEL



FLOATING FRONTS: The 4" wide floating fronts sit proud of either the wall or the two optional backing plates by 1.5".



4-SIDED BLACK



3-SIDED BRUSHED NICKEL + OPTIONAL BACKING PLATE



4-SIDED VINTAGE IRON



3-SIDED BLACK



3-SIDED BRONZE



3-SIDED VINTAGE IRON + OPTIONAL BACKING PLATE



M FINISHES

You can see the craftsmanship in our fronts. Made of steel and then powder-coated, or plated with an artisan touch—both offer durable, long-lasting finishes. If possible, visit your local Valor dealer to see a finish in person.

EDGEMONT CRAFTSMAN FRONTS

BRUSHED BRASS



BRONZE




PEWTER






DIMENSIONS



MINIMUM CAVITY DIMENSIONS

MINIMUM DIMENSION	WITH 717BPBF (FLAT PLATE)	WITH ALL OTHER BACKING PLATES
Min. depth (X)	14½"	131/2"
Min. depth (X) with fan	17½"	16½"
Min. height (Y)	22%"	20½"
Min. width (not shown)	30%"	28%"

Note: Raise the appliance by 2%" when using the 719BPB 4-Sided Backing Plate as the plate extends below the bottom of appliance.












MANTEL CLEARANCES



Mantel Projection A	0 - 6"	8"	10"	12"
Mantel Height B*	33"	35"	37"	39"

^{*}Measured from underside of mantel to finished hearth or surface that unit sits on.

ALWAYS REFER TO THE MANUAL FOR COMPLETE AND ACCURATE INSTALLATION INSTRUCTIONS. valorfireplaces.com/manuals

HOMEOWNER







FUEL BTU/HR

FUEL	MAX. INPUT	MIN. INPUT	MAX. OUT W/O FAN*	ENERGUIDE*
700MN	26,000	13,000	20,933	70.00%
700MP	26,000	11,000	20,933	70.00%
700XN/XP	24,000	13,000	17,825	70.40%



VENTING

Terminal Cap

Flashing

2 x 3" flex

Existing Solid fuel fireplace and chimney

Vertical vent run: Max. 40 feet Min. 10 feet

liners

While the North American fireplace industry is largely self-regulated, at Valor we use recognized Canadian and US government testing methods to determine our energy efficiencies, and ensure our products perform in your home as rated. To find out more, visit valorfireplaces.com/efficiency


^{*} EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-15 test method. Certified to ANSI Z21.88/ CSA 2.33 Vented Gas Fireplace Heater American National Standard. CGA — 2.17-91 Gas Fired Appliances for use at High Altitudes.


BACKING PLATES


EDGEMONT BACKING PLATES

All Edgemont fronts, including Craftsman, require Edgemont backing plates, available in 3 and 4-sided styles and different thicknesses.

The fronts are slightly offset from the backing plate. See below.









OTHER BACKING PLATES

The flat backing plates below pair with the Floating fronts. Available in a small and large size, these backing plates may also be used with Edgemont backing plates to cover a larger opening.

The Floating fronts sit proud of the backing plates by 1.5".





OPTIONS

1 FUEL BED

DIRECT VENT FIREPLACES

Birch	700BLK
Traditional logs	700LSK
Driftwood	700DWK
Pebble Beach Driftwood	700XDWK
Murano Glass	700XDGM

Stainless Steel Burner: 700MN Natural Gas or Propane 700MP

Ceramic Burner: 700XN Natural Gas or Propane 700XP

2 LINER

Ledgestone	705LSLV3
Fluted Black	707FBL
Reflective Glass	706RGL
Valor Red Brick	708VRL

3 CHOOSE A FRONT:

4 CHOOSE A BACKING PLATE:

EDGEMONT

Brushed Nickel	721EDN
Vintage Iron	721EDV
Bronze	721EDZ
Craftsman Champagne Brass	716ECCB
Craftsman Pewter	716ECPW
Craftsman Bronze	716ECBR

REQUIRED EDGEMONT BACKING PLATE

Brushed Nickel	721EDN
Vintage Iron	721EDV
Bronze	721EDZ
Craftsman Champagne Brass	716ECCB
Craftsman Pewter	716ECPW
Craftsman Bronze	716ECBR

3-SIDED BACKING PLATE 717BPB

3-SIDED FLAT or BACKING PLATE 717BPBF

4-SIDED or BACKING PLATE 719BPB

FLOATING

Black	3-SIDED 33¾" w x 23%" h*	709FTB
Brushed Nickel		709FTP
Vintage Iron		709FTV
Bronze		709FTZ
Black	4-SIDED	713FFB
Vintage Iron	33¾" w x 27% h*	713FFV

OPTIONAL FLOATING BACKING PLATE

3-SIDED, SMALL 710BPB

3-SIDED, LARGE 714BPB

You can also use these backing plates with backing plate 717BPB to cover larger fireplace openings.

OPTIONAL RISER

Black, small	40"w x 2½"h	725RTB
Black, large	46¼"w x 2½"h	793RTB
Vintage Iron, large	46¼"w x 2½"h	793RTV

REMOTE CONTROL

Remote, standard	GV60
Wall switch, optional	1265WSK



△ WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov

Note: Natural gas, in its original state, contains Benzene.

^{*} Coverage dimensions. Overall front dimensions are slightly large than coverage area, due to a return. Use coverage dimensions when installing.

